




All dimensions for signs are in inches. 'B' indicates Series B alphabet. 'C' indicates Series C alphabet.



1. Signs shall conform to Manual on Uniform Traffic Control Devices (MUTCD), 2009 Edition with revisions 1 and 2, and Standard Highway Signs (SHS), 2004 Edition.	5. IBWC logo will be provided in jpg, png, eps, or tiff format.
2. Sign sheeting shall meet or exceed ASTM D4956-09 Type III, IV, VIII, or IX. Engineer Grade material is not allowed.	6. Text for contacts (name and/or phone number) will be provided for each sign. Law enforcement contact text shall not exceed 19.725 inches and USIBWC contact text shall not exceed 25.477 inches.
3. Provide two strips of self-adhesive sheeting matching white background sized 1" by 24" with each sign.	7. See Drawings 26424-4 and 26424-5 for installation details.
4. Aluminum sign blanks shall be a minimum of 0.10" thick and shall conform to ASTM B209, alloy 6061-T-6 or alloy 5052-H38. All blanks shall be treated with a chromate chemical process resulting in a coloring that meets ASTM B449, Class 2.	8. Proposed changes to sign text or symbols shall be approved by USIBWC LAO to ensure that changes are in line with Memorandum of Understanding with Dofa Ana County Sheriff's Department and Third Judicial District Attorney.



**NO TRESPASSING
ALL USES PROHIBITED**

Environmental Stewardship Program - Habitat Restoration Area

U.S. Government Property

U.S. International Boundary and Water Commission

Area Under Construction

Public Access Prohibited (18 USC 41)

VIOLATORS WILL BE PROSECUTED

Law Enforcement Contact: Text per Note 6 below

USIBWC Contact: Text per Note 6 below

C NO PUBLIC ACCESS IN HABITAT AREA
Install with Sign H

**BIRD HUNTING ALLOWED
DURING HUNTING SEASON ONLY**

For information on hunting seasons and hunting regulations contact
State of New Mexico at wildlife.state.nm.us or (888) 248-6866

NEW MEXICO HUNTING REGULATIONS APPLY

Federal, state, and local laws must be followed

Maintain safe shooting distance from domestic
animals and other people

No shooting within 150 yards of buildings

Pick up spent shells and trash

VIOLATORS WILL BE PROSECUTED

PLEASE HUNT ETHICALLY AND RESPONSIBLY

HUNT AT YOUR OWN RISK

E BIRD HUNTING
Install with Signs B and G

**STAY ON TRAIL
OFF-TRAIL ACTIVITY
PROHIBITED**

Environmental Stewardship Program - Habitat Restoration Area

U.S. Government Property

U.S. International Boundary and Water Commission

Area Under Construction

NOT MAINTAINED FOR PUBLIC USE

USIBWC Contact: Text per Note 6 below

D STAY ON TRAILS IN HABITAT AREA


COLOR: Legend - Black
Background - White (retroreflective)
Logo - Full Color

ALPHABET: FHWA Standard Series 2000

All dimensions for signs are in inches.
'B' indicates Series B alphabet. 'C' indicates Series C alphabet.

NOTES:

- Signs shall conform to Manual on Uniform Traffic Control Devices (MUTCD), 2009 Edition with revisions 1 and 2, and Standard Highway Signs (SHS), 2004 Edition.
- Sign sheeting shall meet or exceed ASTM D4956-09 Type III, IV, VIII, or IX. Engineer Grade material is not allowed.
- Provide two strips of self-adhesive sheeting matching white background sized 1" by 24" with each sign.
- Aluminum sign blanks shall be a minimum of 0.10" thick and shall conform to ASTM B209, alloy 6061-T-6 or alloy 5052-H38. All blanks shall be treated with a chromate chemical process resulting in a coloring that meets ASTM B449, Class 2.
- IBWC logo will be provided in jpg, png, eps, or tiff format.
- Text for contacts (name and/or phone number) will be provided for each sign. Law enforcement contact text shall not exceed 19.725 inches and USIBWC contact text shall not exceed 25.477 inches.
- See Drawings 26424-4 and 26424-5 for installation details.
- Proposed changes to sign text or symbols shall be approved by USIBWC LAO to ensure that changes are in line with Memorandum of Understanding with Doña Ana County Sheriff's Department and Third Judicial District Attorney.



INTERNATIONAL BOUNDARY AND WATER COMMISSION
UNITED STATES SECTION
RIO GRANDE CANALIZATION PROJECT
STANDARD DRAWING
NEW MEXICO PROJECT SIGNS

STANDARD DRAWING

USIBWC
DESIGNED
Andrea Glover
DRAWN
Crystal Cadillo, PE
CHECKED
Andrea Glover, PE
TECHNICAL APPROVAL
R. Rizzuti, Esq.
ADMIN APPROVAL

USIBWC HQ-ESD 02-26-2018

USIBWC DETAIL SIGNS



SOLICITATION/RFP NUMBER

N/A

CONTRACT NUMBER

N/A


26424-2




COLOR: Legend - Black
Symbols & Border - Black
Circle & Diagonal - Red (retroreflective)
Background - White (retroreflective)

ALPHABET: FHWA Standard Series 2000

All dimensions for signs are in inches. 'B' indicates Series B alphabet. 'C' indicates Series C alphabet.



1 DETAIL
Restricted Circle & Diagonal



SHS symbol RL-140



SHS symbol RL-170



SHS symbol RL-150



SHS symbol "Farm Machinery"



SHS symbol RA-030



SHS symbol RM-010



SHS symbol RL-040



SHS symbol RL-100




SHS symbol RL-090




SHS symbol RL-110

NOTES:


- All prohibited signs are 24" x 48".
- Signs shall conform to Manual on Uniform Traffic Control Devices (MUTCD), 2009 Edition with revisions 1 and 2, and Standard Highway Signs (SHS), 2004 Edition.
- Sign sheeting shall meet or exceed ASTM D4956-09 Type III, IV, VIII, or IX. Engineer Grade material is not allowed.
- Aluminum sign blanks shall be a minimum of 0.10" thick and shall conform to ASTM B209, alloy 6061-T-6 or alloy 5052-H38. All blanks shall be treated with a chromate chemical process resulting in a coloring that meets ASTM B449, Class 2.
- See Drawings 26424-4 and 26424-5 for installation details.
- Symbols shall be as noted and shall be sized to fill the restricted circle in Detail 1.
- Proposed changes to sign text or symbols shall be approved by USIBWC LAO to ensure that changes are in line with Memorandum of Understanding with Doña Ana County Sheriff's Department and Third Judicial District Attorney.





2 NON-HUNTING AREA SIGNS
Signs A and F - Option 1

Non-hunting area signs may be placed per Detail 2 or Detail 3.



3 NON-HUNTING AREA SIGNS

Signs A and F - Option 2


Non-hunting area signs may be placed per Detail 2 or Detail 3. Signs may also be placed one after the other as shown on Detail 8.




4 HUNTING AREA SIGNS

Signs B, E, and G


Signs may also be placed one after the other as shown on Detail 8, but Signs E and G must be on same poles.



5	HABITAT SIGNS	6	HABITAT SIGN
	Signs C and H		Sign D




7 SLOPE INSTALLATION




8 SLOPE INSTALLATION

Signs may also be installed side-by-side (per Details 3 and 4) if the slope is flat enough so that the maximum sign height does not exceed that shown in Detail 7 and if signs are on USBWC ROW.



9 GATED LANDSIDE RAMP INSTALLATION
See Detail 12 for Plan View

10 LANDSIDE RAMP INSTALLATION - NO GATE
Single Notice Sign (see Detail 13 for plan view)



INTERNATIONAL BOUNDARY AND WATER COMMISSION
UNITED STATES AND MEXICO
UNITED STATES SECTION

RIO GRANDE CANALIZATION PROJECT

STANDARD DRAWING

NEW MEXICO PROJECT SIGNS

[illegible]

USIBWC	
DESIGNED	
<i>Andrea Glover</i>	
DRAWN	
<i>Crystal Cadillo, PE</i>	
CHECKED	
<i>Andrea Glover, PE</i>	
TECHNICAL APPROVAL	
<i>Isela Canava</i>	
ADMIN APPROVAL	
USIBWC HQ-ESD	02-26-2018

SIGN INSTALLATION DETAILS I

SOLICITATION/RFP NUMBER

CONTRACT NUMBER

26424-4

AutoCAD Version
2018 (LMD Tech)

Date and Time Plotted
4/25/2018 2:42 PM
Date Last Saved
4/25/2018 2:37 PM

Paper Size
ANSI Full Sheet B (17.00 x 11.00 inches)
Plot Style Table Name
IBWC_Raw.rvtb
Color 10 as Red
Plot Devices
DWG To PDF.pc3

Sheet Set Name
##

CAD Filename
30-26424-USIBWC-RGCP-Notice-Signs-Rev2.dwg

1

2

3

4

5

1

2

3

4

5

1

2

3

4

5


1

2

3

4

5



- NOTES:**
- Signs shall conform to Manual on Uniform Traffic Control Devices (MUTCD), 2009 Edition with revisions 1 and 2, and Standard Highway Signs (SHS), 2004 Edition.
 - All sign posts shall conform to National Cooperative Highway Research Program (NCHRP) Report 350 or AASHTO's Manual for Assessing Safety Hardware (MASH), 2nd Edition, 2016. All sign posts shall be post or tube configuration. No U channels are allowed. All signs shall be installed on double posts.
 - Limited access ramps, such as gated ramps for irrigation districts, do not require signage.
 - All signs shall be installed on USIBWC ROW, except for stop signs. Stop signs shall be installed as noted.
 - Stop signs shall be a minimum of 36" x 36".
 - Confirm location of signs with COR prior to installation.
 - Ensure that signs do not interfere with operation of gates.
 - See USIBWC Standard Drawing 26409 for gate details.

International Boundary & Water Commission
United States Section

OK TX NM CO AZ NV CA

INTERNATIONAL BOUNDARY AND WATER COMMISSION
UNITED STATES AND MEXICO
UNITED STATES SECTION

RIO GRANDE CANALIZATION PROJECT

STANDARD DRAWING

NEW MEXICO PROJECT SIGNS

2	04-25-2018 Andrea Glover, PE	Updated all signs to meet Delta Area County MOU. Added new signs for specific situations.
1	08-22-2017 Andrea Glover, PE	Changed drawing to new standard USIBWC border. Added Gate on Levee detail. Added reference to SD 26409.

USIBWC
DESIGNED
Andrea Glover
DRAWN
Crystal Castillo, PE
CHECKED
Andrea Glover, PE
TECHNICAL APPROVAL
Isela Canava
ADMIN APPROVAL

USIBWC HQ-ESD 02-26-2018

SIGN INSTALLATION
DETAILS II

SOLICITATION/RFP NUMBER
N/A

CONTRACT NUMBER
N/A

26424-5